

5955 Scenic Highway • Baton Rouge, LA 70805-2044 800 / 535-9960 • www.lioncopolymer.com

Distribute by Double A Plus Intertrade co.,ltd. www.aachemical.com

## **Rubber Chemicals**

## **Product Data**

CELOGEN <sup>®</sup> AZ	
Chemical Foaming Agent	
	O O II II
$H_2N-\ddot{C}-N=N-\ddot{C}-NH_2$	
azodicarbonamide	
Available in various particle sizes (e.g. 120*, 130*, 150, 9370, 1901 and 2500)	
FORM:	Yellow-orange powder.
SPECIFIC GRAVITY:	1.66 at 25 °C (77 °F)
DECOMPOSITION POINT:	about 190-220 °C (374-428 °F)
GAS YIELD:	220 cc / gram
DECOMPOSITION GASES:	$N_2$ , CO <sub>2</sub> , CO and $NH_3$
ACTIVATED BY:	Strong activators include zinc oxide, zinc stearate and treated urea (BIK <sup>®</sup> OT). Moderate activators include barium stearate, calcium stearate, citric acid and triethanolamine. Weak activators include adipic acid, benzoic acid, salicylic acid and calcium oxide.
DISCOLORATION:	Nondiscoloring; decomposition residue is white.
RECOMMENDED USES:	General purpose chemical foaming agents for sponge rubber and expanded plastics applications which require fine, uniform, closed cell structures.
SOLUBILITY:	Relatively insoluble in organic solvents and water. Decomposes in alkaline solutions.
STORAGE STABILITY:	Store in a cool, dry place in closed containers. Keep away from heat, sparks, open flames and combustibles.
HANDLING PRECAUTIONS:	Contact with eyes may cause irritation. Repeated minimal inhalation exposure can cause respiratory sensitization and asthma. Exposure to decomposition gases can cause irritation to eyes, lungs and mucous membranes. Avoid breathing dust and fumes from hot processing. Avoid all personal contact.
FDA STATUS:	<ul> <li>175.300 – Resinous and Polymeric Coatings – <i>Limited to can end cement</i></li> <li>177.1210 – Closures with Sealing Gaskets for Food Containers – <i>Limitation – 2% Max.</i></li> <li>177.2600 – Rubber Articles Intended for Repeated Use – <i>Limitation – 5% Max.</i></li> </ul>

\* - Contains small quantity of an inert partitioning agent.

**Notice:** All information supplied by or on behalf of Lion Copolymer in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable, but Lion Copolymer assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use made of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Lion Copolymer for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer.